

# INSULTEC AUSTRALIA PTY LIMITED

ABN 93 092 861 008

Manufacturing Site: U1/481 Victoria Street, Wetherill Park, NSW 2164 Australia  
Registered Office Address: 10 Pacific Highway, Calga, NSW 2250 Australia

Tel: +61 (0)2 4375 1023 Fax: (02) 4375 1053  
Email: [insultecaustralia@bigpond.com](mailto:insultecaustralia@bigpond.com)  
Website: [www.insultecaustralia.com.au](http://www.insultecaustralia.com.au)

## SAFETY DATA SHEET INSULTEC PI - FIRE RESISTANT

### Section 1. Identification

Product name:	Insultec PI	Product Code:	N/A
Recommended Use:	High build heat re radiating and fire resistant membrane	Supplier:	Insultec Australia Pty Ltd
Street Address:	U1/481 Victoria Street Wetherill Park NSW 2164	Postal Address:	10 Pacific Highway CALGA NSW 2250
Phone No:	+61 (0)2 9756 2400	Phone:	+61 (0)2 4375 1023

Emergency Phone No. 13 11 26 - Poisons Information Centre

### Section 2. Hazards Identification

Not classified as hazardous according to criteria of NOHSC

Poison Schedule: Not Scheduled

### Section 3. Composition Information

This product is a preparation.

Component	CAS No.	Concentration
Non hazardous	Not applicable	to 100%

### Section 4. First Aid Measures

Inhalation:	Move to fresh air.
Skin contact:	Wash with water and soap as a precaution. If skin irritation persists, call a physician.
Eye contact:	Rinse with plenty of water. If eye irritation persists, consult a specialist.
Ingestion:	Drink 1 or 2 glasses of water. Consult a physician if necessary. Never give anything by mouth to an unconscious person.

### Section 5. Fire Fighting Measures

Haz chem Code: Not allocated

Thermal decomposition: Thermal decomposition may yield acrylic monomers.

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Specific hazards during fire fighting: Material can splatter above 100°C / 212°F. Dried product can burn.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus and protective suit.

**SAFETY DATA SHEET**  
**INSULTEC PI - FIRE RESISTANT**

**Section 6. Accidental Release Measures**

**Personal precautions**

Use personal protective equipment.  
Keep people away from and upwind of spill/leak.  
Material can create slippery conditions.

**Environmental precautions**

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods for cleaning up**

Contain spills immediately with inert dyking material. (e.g., sand, earth).  
Transfer liquids and solid dyking material to separate suitable containers for recovery or disposal.

**Section 7. Handling and Storage**

**Handling**

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

**Further information on storage conditions:** Keep from freezing - product stability may be affected.

**STIR WELL BEFORE USE.**

**Storage**

**Storage temperature:** 10°C to 25°C

**Other data:** Monomer vapors can be evolved when material is heated during processing operations. See SECTION 8, for types of ventilation required. NOTE: Formaldehyde will be generated under acidic conditions. Maintain adequate ventilation under these conditions to prevent exposure to formaldehyde.

**Section 8. Exposure Controls / Personal Protection**

**Eye protection:** Safety glasses with side-shields. Eye protection worn must be compatible with respiratory protection system employed.

**Hand protection:** The glove(s) listed below may provide protection against permeation. (Gloves of other chemically resistant materials may not provide adequate protection): Neoprene gloves

**Respiratory protection:** Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Protective measures:** Facilities storing or utilizing this material should be equipped with an eyewash facility.

**Engineering measures:** Use only in area provided with appropriate exhaust ventilation.

**Section 9. Physical and Chemical Properties**

Physical state	White Liquid Paste
Colour	white
pH	8 - 9.5
Boiling point/range	About 100° C
Melting point/range	Not known
Flash point	Not applicable. Dried polymer will burn in fire.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	Same as Water
Relative vapour density	Heavier than Water
Water solubility	Dilutable
Relative density	1.22 - 1.24
Viscosity, dynamic	13,000-15000 CPS
Evaporation rate	Same as water
Percent volatility	55 - 60 % Water

NOTE: The physical data presented above are typical values and should not be construed as a specification.

**SAFETY DATA SHEET**  
**INSULTEC PI - FIRE RESISTANT**

**Section 10. Stability and Reactivity**

Hazardous reactions	Not known. Stable
Materials to avoid	There are no known materials which are incompatible with this product.
Polymerization	Product will not undergo polymerization.

**Section 11. Toxicological Information**

No data are available for this material. The information shown is based on profiles of compositionally similar materials.

Acute oral toxicity	LD50 rat > 5,000 mg/kg
Acute dermal toxicity	LD50 rabbit > 5,000 mg/kg
Skin irritation	rabbit May cause transient irritation.
Eye irritation	rabbit No eye irritation

**Section 12. Ecological Information**

There is no data available for this product.

**Ammonia, aqueous solution**

**Ecotoxicity effects**

Toxicity to fish	LC50 Oncorhynchus mykiss (rainbow trout) 24 h 0.097 mg/l
Toxicity to fish	TLm Fathead minnow (Pimephales promelas) 96 h 8.2 mg/l

**Section 13. Disposal Considerations**

**Environmental precautions:** CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Disposal**

Coagulate the emulsion by the stepwise addition of ferric chloride and lime. Remove the clear supernatant and flush to a chemical sewer. For disposal, incinerate or landfill at a permitted facility in accordance with local, state, and federal regulations.

**Section 14. Transport Information**

Classification for ROAD and Rail transport:

Not regulated (Not dangerous for transport)

Classification for SEA transport (IMO-IMDG):

Not regulated (Not dangerous for transport)

Classification for AIR transport (IATA/ICAO):

Not regulated (Not dangerous for transport)

HazchemCode

None Allocated

*Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations*

**SAFETY DATA SHEET**  
**INSULTEC PI - FIRE RESISTANT**

---

**Section 15. Regulatory Information**

---

**Label**

Classification and labeling have been performed according to regulations.

Not classified as hazardous according to criteria of NOHSC

**Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR)** All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS

**US. Toxic Substances Control Act (TSCA)** All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

---

**Section 16. Other Information**

---

**16.1**

Refer to the Technical Data Sheet for this product for directions for use.

**16.2 Contact Point:** TELEPHONE +61 (0)2 9756 2400

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by Sue Bartlett, Quality Assurance Manager

Date: July 2012

Emergency Contact: -

Overseas +61 (0)2 9756 2400 Andrew Trantor  
+61 (0)2 4375 1023

Australia (02) 9756 2400 Andrew Trantor  
(02) 4375 1023